

SAP Manufacturing Execution
How-To Guide



How To Set Up and Use Activity Hooks in SAP ME

Applicable Release: ME 6.1

Version 2.4

December 2, 2014

SAP ME How-To-Guide for Setting up Activity Hooks

© Copyright 2014 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, OS/2, Parallel Sysplex, MVS/ESA, AIX, S/390, AS/400, OS/390, OS/400, iSeries, pSeries, xSeries, zSeries, z/OS, AFP, Intelligent Miner, WebSphere, Netfinity, Tivoli, Informix, i5/OS, POWER, POWER5, OpenPower and PowerPC are trademarks or registered trademarks of IBM Corporation.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Oracle is a registered trademark of Oracle Corporation.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems, Inc.

HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

Java is a registered trademark of Sun Microsystems, Inc.

JavaScript is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

MaxDB is a trademark of MySQL AB, Sweden.

SAP, R/3, mySAP, mySAP.com, xApps, xApp, SAP NetWeaver, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries all over the world. All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies (“SAP Group”) for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials.

The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

These materials are provided “as is” without a warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement.

SAP shall not be liable for damages of any kind including without limitation direct, special, indirect, or consequential damages that may result from the use of these materials.

SAP does not warrant the accuracy or completeness of the information, text, graphics, links or other materials contained within these materials. SAP has no control over the information that you may access through the use of hot links contained in these materials and does not endorse your use of third party web pages nor provide any warranty whatsoever relating to third party web pages.

SAP ME “How-to” Guides are intended to simplify the product implementation. While specific product features and procedures typically are explained in a practical business context, it is not implied that those features and procedures are the only approach in solving a specific business problem using SAP ME. Should you wish to receive additional information, clarification or support, please refer to SAP Consulting.

SAP ME How-To-Guide for Setting up Activity Hooks

Document History

Document Version	Description	Author
2.0	Initial version for ME 6.1 (added Java Docs info in section 3.4)	Chet Moutrie
2.1	Corrected information for the CHECK_TIME activity hook.	Chet Moutrie
2.2	Added info regarding user argument for Parametric SFC Check (TP110) activity and corrected Description and Uses (see section 3.3)	Chet Moutrie
2.3	Added info that CHECK_CONFIRM_COMP activity was removed from ME 6.0 and later.	Chet Moutrie
2.4	Updated CT520 with info regarding CHECK_TIME_BASED activity rule.	Chet Moutrie

Table of Contents

1	Introduction.....	5
1.1	Purpose.....	5
1.2	Scope.....	5
1.3	Glossary	5
2	Overview of Setting up Activity Hooks.....	6
2.1	Description and Applicability	6
2.1.1	What is a Hookable Activity?.....	6
2.1.2	What is a Hook Point?	6
2.1.3	What is an Activity Hook?.....	6
2.1.4	Decisions to Make.....	6
2.2	Business Purposes / Functions	6
3	Functions for Setting up Activity Hooks	7
3.1	Where the System Can Execute Hookable Activities.....	7
3.2	When the System Can Execute Code – Hook Points.....	7
3.2.1	Object Level Hook Points	7
3.2.2	Site Level Hook Points	9
3.2.3	Sequencing Object-Level Hook Points	11
3.2.4	The PARSE_COMPONENT and PARSE_SLOT_COMPONENT Hook Points	12
3.3	Which Hookable Activities the System Can Execute.....	12
3.4	ME Objects Available at a Hook Point.....	21
4	Integration.....	23
5	Setting up Products	23
5.1	Setting Up Activity Hooks.....	23
5.1.1	Setting Up Activity Hooks at PARSE_COMPONENT.....	24
5.1.2	Setting Up Activity Hooks at PARSE_SLOT_COMPONENT	25
6	Usage Scenario Examples.....	25
6.1	Create SFC.....	25
6.2	Document Print	25
6.2.1	Document Print Example	26
6.3	Check Configuration.....	26
6.4	SFC Quantity Multiplication.....	26

SAP ME How-To-Guide for Setting up Activity Hooks

7	Links to Additional Information	27
8	Other Reference Material.....	27
9	Overview of Changes.....	27

1 Introduction

1.1 Purpose

The SAP ME How-To-Guide for Setting up Activity Hooks is intended to provide sufficient information to enable activity hooks to be easily configured and readily utilized to meet business needs, making use of available best practices.

1.2 Scope

This document covers all aspects of setting up activity hooks in SAP ME.

1.3 Glossary

Activity	An executable software unit in SAP ME
Activity Hook	See Hook Activity and Hook Point
BOM	Bill of Material
Hook Activity	An SAP ME activity that can be executed automatically at a hook point
Hook Point	A processing point in SAP ME where the execution of an activity can be configured to occur automatically (e.g. at Pre-Complete for an operation)
Item	Previous terminology for a material
Material	A unique manufactured or purchased part that is processed or consumed on the shop floor
Operation	A procedure performed at a resource; an element of a routing
POD	Production Operator Dashboard - configurable SAP ME module designed for use by factory floor operators
Resource	A machine or other piece of equipment used to perform an operation
Routing	A series of operations, or routing steps
SFC	Shop Floor Control unit - a single material or a batch of materials being processed on the shop floor
TBCT	Time Based Component Traceability
Time-Based Resource	A resource where identification of the assembled components is determined based upon the time at which the parent SFC was processed at the resource

2 Overview of Setting up Activity Hooks

2.1 Description and Applicability

You can use activity hooks in the system to automatically perform repetitious routine tasks, such as printing barcode labels and checking assemblies, anywhere along your production lines. Activity hooks allow you to control precisely when and where the system executes these tasks.

2.1.1 What is a Hookable Activity?

Each automatic task that the system can perform for you is made up of a particular set of instructions. Each set of instructions is called a hookable activity. The system comes with a set of hookable activities, however you can also write your own custom hookable activities to meet your specific needs.

2.1.2 What is a Hook Point?

A hook point is a trigger of when and where, during manufacturing, the hookable activity is executed. You can add hookable activities to hook points in the following activities:

- Operation Maintenance
- Routing Maintenance
- Resource Maintenance
- NC Code Maintenance
- Site Maintenance

2.1.3 What is an Activity Hook?

While a bit of a misnomer, an activity hook is a hookable activity assigned to a hook point.

2.1.4 Decisions to Make

When you work with activity hooks, you decide:

- Where you want the system to execute the code.
- When you want the system to execute the code.
- Which hookable activities you want the system to execute.

For example, you may want the hookable activity that prints documents to execute every time a POD operator at a PACK operation clicks **Complete**. This would allow you to print a packing list for each SFC you are ready to ship. You may also want the hookable activity that checks assemblies to execute every time a POD operator at a particular resource clicks **Complete**.

You can also use activity hooks with barcode scanners that work with automatic equipment.

2.2 Business Purposes / Functions

The following are the functions, for setting up hook activities, which are described in section 3:

- Where the System Can Execute Hookable Activities
- When the System Can Execute Code – Hook Points
- Which Hookable Activities the System Can Execute

3 Functions for Setting up Activity Hooks

3.1 Where the System Can Execute Hookable Activities

The system allows you to control where it executes hookable activities. The system can execute hookable activities at the site level or at the individual record level.

At the site level, the system can execute hookable activities whenever any operator throughout your entire site performs certain actions. You create site level activity hooks in Site Maintenance.

At the record level, the system can execute hookable activities each time operators:

- Perform a specific operation (you create the activity hook in Operation Maintenance).
- Perform a specific routing step (you create the activity hook in Routing Maintenance).
- Use a specific resource (you create the activity hook in Resource Maintenance).
- Log a particular NC code (you create the activity hook in NC Code Maintenance).

3.2 When the System Can Execute Code – Hook Points

The system can execute hookable activities at several different points in time. These points in time are called hook points. Hook points allow you to precisely control when the system executes hookable activities.

The system has one set of hook points at the object level and another set at the site level. Some hook points are within activities, such as Start (PR500), Complete (PR510), and Serialize (PR550). The hook points that are within activities can be associated with buttons in the POD.


Note: The system executes all code associated with a hook point in the same database transaction. For hook points within POD button activities, the transaction includes a single button activity, such as Start (PR500). If the hookable activity fails, the system rolls back, or cancels, the *entire* transaction. For example, in the illustration below, if you associate Check Configuration (CT520) with the POST_START hook point and the components do not match, the system rolls back the Start as well. This is true of **all** hook points.

3.2.1 Object Level Hook Points

The system provides hook points at the following object-levels: Operation, Resource, and Routing. This means you can set an activity hook for individual operation and resource records and for individual steps on a routing. You create these activity hooks in Operation Maintenance, Resource Maintenance, and Routing Maintenance.

SAP ME How-To-Guide for Setting up Activity Hooks

The illustration below shows the object-level hook points that are common to Operation Maintenance, Resource Maintenance, and Routing Maintenance and their relationships to Starts and Completes in the POD:



Note: When the operator selects multiple SFCs, either individually or in a shop order or process lot, the system executes the hooked activity for each SFC selected. If you want the activity to execute only once for the entire set of SFCs, see the following topic, [Additional Resource and Operation Level Hook Points](#).

3.2.1.1 Additional Resource and Operation Level Hook Points

The following table describes additional hook points common to the resource and operation level:

Hook Point	When a Hooked Activity Executes
PRE_BATCH_START	After the operator clicks Start , before the system executes the start. The system executes the hooked activity only once for all SFCs the operator selected.
POST_BATCH_START	After the operator clicks Start , after the system executes the start. The system executes the hooked activity only once for all SFCs the operator selected.
PRE_BATCH_COMPLETE	After the operator clicks Complete , before the system executes the complete. The system executes the hooked activity only once for all SFCs the operator selected.
POST_BATCH_COMPLETE	After the operator clicks Complete , after the system executes the complete. The system executes the hooked activity only once for all SFCs the operator selected.

SAP ME How-To-Guide for Setting up Activity Hooks

3.2.1.2 Additional Operation Level Hook Points

The following table describes additional hook points available only at the operation level:

Hook Point	When a Hooked Activity Executes
PRE_SIGNOFF	After the operator clicks Signoff , before the system executes the signoff.
POST_SIGNOFF	After the operator clicks Signoff , after the system executes the signoff.


3.2.1.3 Additional NC Code Level Hook Points

The following table describes additional hook points available only when an operator or machine logs an NC against one or more SFCs:

Hook Point	When a Hooked Activity Executes
PRE_DISP	After the operator logs the NC and before the system sends the SFC to its new destination or state, such as USEABLE_AS_IS.
POST_DISP	After the operator logs the NC and after the system sends the SFC to its new destination or state, such as USEABLE_AS_IS.

3.2.2 Site Level Hook Points

The illustration below shows the site-level hook points that relate to serialization and split in the POD:



SAP ME How-To-Guide for Setting up Activity Hooks

The following table describes the site-level hook points:

Hook Point	When a Hooked Activity Executes
POST_ORDER_RELEASE	After the system releases a shop order to the shop floor.
POST_PROD_CHANGE	After the user clicks Save in Change Production. Use with a custom hookable activity. The hook point passes old and new values for the material, routing, BOM and/or shop order to the activity.
PRE_MERGE	After the user clicks Merge in SFC Merge, before the system merges SFCs.
POST_MERGE	After the user clicks Merge in SFC Merge, after the system merges SFCs.
POST_SERIALIZE	After the user clicks OK in Serialize, after the SFC is serialized.
POST_SPLIT	After the user clicks OK in SFC Split, after the SFC is split.
PRE_RMA_SFC_RECEIPT	After the user clicks Done in RMA SFC Receipt, before the system adds the SFCs to the RMA shop order.
PRE_SERIALIZE	After the user clicks OK in Serialize, before the SFC is serialized.
PRE_SPLIT	After the user clicks OK in SFC Split, before the SFC is split.
POST_RMA_SFC_RECEIPT	After a user clicks Done in RMA SFC Receipt, after the system adds the SFCs to the RMA shop order.
POST_CONTAINER_SAVE	After the user clicks Save or Close Container in Pack/Unpack.
POST_CONTAINER_CLOSE	After the user clicks Close Container in Pack/Unpack.
PRE_PACKING_SFC	After the user clicks Add in Pack/Unpack, before the system adds the SFC to the container.
PACKING_VALIDATION	After the user clicks Add in Pack/Unpack, before the system adds the SFC to the container.
REOPEN_CONTAINER	After the user clicks Unpack in Pack/Unpack.
CALC_DIMENSIONS	After the user clicks Close Container in Pack/Unpack.
ADD_COMPONENT	After the user clicks Add on the Add Component window of As-Built Configuration.
REMOVE_COMPONENT	After the user clicks Scrap , Return , or Send To Routing on the Remove Component window of As-Built Configuration.
POST_ORDER_CLOSE	After the system closes a shop order and the status of the shop order changes to “Done”.

SAP ME How-To-Guide for Setting up Activity Hooks

Hook Point	When a Hooked Activity Executes
POST_PL_REMOVE	After an SFC is removed from a process lot in the Process Lot activity (PR560).
POST_PL_ADD	After an SFC is added to a process lot in the Process Lot activity (PR560).
POST_INV_RECEIPT	After an Inventory ID is received and added to the floor stock
PARSE_COMPONENT	See section below for more details
PARSE_SLOT_COMPONENT	See section below for more details

3.2.3 Sequencing Object-Level Hook Points

When you create activity hooks, you use the Activity Hooks tab in the maintenance activity you want. Each Activity Hooks tab contains a table in which you associate a hookable activity with a hook point for that object. When the hook point occurs, the system executes the associated activity. When the system executes hookable activities, the activities store and retrieve information in the database.

The table on the Activity Hooks tab also contains a Sequence column. If you assign more than one activity the same sequence number and the same hook point, when the hook point occurs, the system executes each activity in the order that it reaches the database. To avoid unexpected results, ensure that each object-level activity hook associated with the same hook point has a different sequence number.

For example, you should run the Check Next Number (EN520) or Check Mask Validation (EN521) activity before the Create SFC (DM520) activity. If you hook both activities to the PRE_VALIDATE_START for the operation OP1 and the resource RES1, you must use different sequence numbers to control the order the system executes the activities. When you use different sequence numbers, such as 10 and 20, when the operator who enters OP1 and RES1 in the POD clicks the Start button, the system executes sequence 10 first and sequence 20 second:

The screenshot displays the 'Operation Maintenance' interface. At the top, there are navigation buttons: Retrieve, Save, Clear, and Delete. Below these, the site is set to 'BOBJ'. The 'Operation' field is 'OPER1' and the 'Version' is 'A'. The 'Activity Hooks' tab is active, showing a table with the following data:

Sequence	Hook Point	* Activity	Enabled	User Argument
10	PRE_VALIDATE_START	EN520	<input checked="" type="checkbox"/>	

Resource Maintenance

Retrieve Save Clear Delete

* Site: BOBJ

* Resource: RES1

Main Resource Type **Activity Hooks** Certifications System Rules Custom Data

Insert New Remove Selected

Sequence	Hook Point	* Activity	Enabled	User Argument
20	PRE_VALIDATE_START	DM520	<input checked="" type="checkbox"/>	

3.2.4 The PARSE_COMPONENT and PARSE_SLOT_COMPONENT Hook Points

In addition to the other hook points, the system includes two hook points specific to component traceability:

- PARSE_COMPONENT, that resides in Assembly Point (CT500), and relates to manual/discrete component traceability.
- PARSE_SLOT_COMPONENT, that resides in Resource Slot Config Setup (EN530) and Load or Replenish (EN531), and relates to time-based component traceability (TBCT).

Activity hooks at these hook points allow operators to enter component and/or slot identifiers you use on your floor that the system doesn't recognize. You must write a custom hookable activity to work with these hook points. A software developer's kit (SDK) is available for SAP ME. For more information, see the SDK Implementation Guide available with the SASP ME SDK.

3.3 Which Hookable Activities the System Can Execute

The system includes many hookable activities you can use:

- Adjust Production End Time (ADJUST_PROD_COMPLETE)
- Adjust Production Start Time (ADJUST_PROD_START)
- ADS Document Print (SY521)
- Auto As Built (AUTO_ASBUILT)
- Auto Assemble Component (AUTOASSY_COMPONENT)
- Auto Signoff SFCs (AUTO_SIGN_OFF_SFCS)
- Award Unclaimed Standards (AWARD_UNCLAIMED_STDS)
- Barcode Parser (BARCODE_PARSER)
- Check Buyoff (CHECK_BUYOFF)
- Check Configuration (CT520)
- Check Confirm Components (CHECKCONFIRM_COMP) – Removed in ME 6.0
- Check Mask Validation (EN521)
- Check Next Number (EN520)
- Check Resource Setup (CHECK_RESOURCE_SETUP)

SAP ME How-To-Guide for Setting up Activity Hooks

- Check SFC Data (CHECK_SFC_DATA)
- Check SFC LCC (LT300)
- Check SFC(s) for open NCs (NC520)
- Create SFC (DM520)
- Create Shop Order Batch Number (CREATE_BATCH)
- Check Time (CHECK_TIME)
- Check Time-Sensitive Components (CHECK_TSM_COMPONENTS)
- Data Collection Limits Check (DC521)
- Document Print (SY520)
- Elapsed Time in Process (ELAPSED_TIME_CHECK)
- Load CNC Program (LOAD_CNC_HOOK)
- Log Tool Check (LOG_TOOL_HOOK)
- Open Data Collections Check (DC520)
- Parametric SFC Check (TP110)
- Post Split/Serialize - Copy CT Data (CT999)
- Post Split/Serialize - Copy DC Data (DC999)
- Post Split/Serialize - Copy NC Data (NC999)
- Post Split/Serialize - Copy Tool Data (TOOL999)
- Post Split/Serialize - Copy WI View Data (WI999)
- Reset Tool Status (RESET_TOOL_HOOK)
- SFC Quantity Multiplication (PR597)
- Slot Quantity Decrement (SLOT_QTY_DECREMENT)
- Stop Time-Sensitive Clock (STOP_TIME_SENS_CLOCK)
- Unload CNC Program (UNLOAD_CNC_HOOK)
- WIP Change (SU570)

A software developer's kit (SDK) is available for SAP ME. For more information, see the SDK Implementation Guide available with the SASP ME SDK.

The following table describes the hookable activities that come with the standard system:

Hookable Activity	Description	Hook Points and Uses
Adjust Production End Time (ADJUST_PROD_COMPLETE)	Corrects the operator's productive time by adjusting the complete time by a fixed amount. This allows you to account for delays in sending the complete message from an automated production machine.	Used with the PRE_COMPLETE hook point.
Adjust Production Start Time (ADJUST_PROD_START)	correct the operator's productive time by adjusting the start time by a fixed amount. This allows you to account for delays in sending the start message from an automated production machine.	Used with the PRE_START hook point.

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
ADS Document Print (SY521)	Prints documents, created from master data from SAP Manufacturing Execution, through SAP NetWeaver Adobe Document Server (ADS).	Used with the following hook points at the operation, routing step, and resource: PRE_COMPLETE POST_COMPLETE PRE_START POST_START
Auto As Built (AUTO_ASBUILT)	Creates “planned” as-built configuration records for all the installation orders that are released with a production order.	Used with POST_ORDER_RELEASE hook point.
Auto As Built (AUTO_ASBUILT)	Updates “planned” as-built configuration records to “assembled” for all the installation orders that are released with a production order.	Used with POST_ORDER_CLOSE hook point.
Auto Assemble Component (AUTOASSY_COMPONENT)	When a BOM for an SFC contains components whose assembly data type is NONE and a defined assemble operation, these components will be automatically assembled and saved to the SFC Build History record. This can occur upon shop order release or at a specific operation.	Commonly used with PRE_START, PRE_COMPLETE, and POST_ORDER_RELEASE.
Auto Signoff SFCs (AUTO_SIGN_OFF_SFCS)	Automatically move SFC numbers from the POD Work List to the Browse Work List. When an SFC number is moved, its status changes from Active to In Queue.	
Award Unclaimed Standards (AWARD_UNCLAIMED_STDS)	Award all unclaimed standards when an operation/step is completed or when the last open operation of the SFC number is completed and before the SFC number status changes to Done. The hook automatically awards the balance of the standards for an operation/step or SFC number once the user has completed it. If no standards have been claimed through the Earned Standards activity, then the hook will be the vehicle for awarding all earned standards. The user who completes the operation gets the credit for the remaining unclaimed standards, both for operations and for the SFC number.	Used only with the POST_COMPLETE hook point.

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
Barcode Parser (BARCODE_PARSER)	Parses two-dimensional (2D) barcodes when shop floor operators scan barcodes on documents, tags, packaging, or components to populate data about a material.	Used with either a material or with the PARSE_COMPONENT hook point at the site level
Check Buyoff (CHECK_BUYOFF)	Validates that all buyoffs have been closed before proceeding to the next operation.	Can be at any hook point.
Check Configuration (CT520)	<p>Compares the components in the build history of an SFC that is a parent assembly to its BOM. Depending on option settings, can fail the assembly when component or their quantities do not match BOM specifications. To use with time-based component tracking, the activity rule CHECK_TIME_BASED must be set to True for activity CT520. If operators use this activity with multiple SFCs or process lots, if one SFC in the group fails, the system fails the entire group.</p> <p>Note: This hook works only if the SFC is on the Production routing.</p>	<p>Commonly used with PRE_COMPLETE, POST_COMPLETE.</p> <p>Use with the last operation on a routing to ensure the shipped product is complete. Use at other operations to ensure complete product is sent to the next step, especially when it's another part of the plant.</p>
Check Confirm Components (CHECKCONFIRM_COMP)	<p>Checks for unconfirmed Kit components for an SFC at an operation on a production routing.</p> <p>Note: This activity was removed from the activity list in ME 6.0 and is no longer available for use.</p>	Commonly used with PRE_START and PRE_COMPLETE.
Check Mask Validation (EN521)	Performs mask validation on data element: SFC, External Serial Number, External Lot, Vendor Lot, or Vendor Date Code specified on the Rules tab of Activity Maintenance. Mask is set up in Validation Mask Maintenance.	Commonly used with manual assembly, resource replenishment, or logging nonconformances.
Check Next Number (EN520)	Compares the SFC with the SFC-release pattern defined in Next Number Maintenance. Depending on option settings, can also check the length of the entry. This activity is obsolete. Best Practice is to use Check Mask Validation (EN521) instead.	Use with PRE_START or PRE_VALIDATE_START. Be sure to sequence properly. For operators, use with Create SFC (DM520). Make sure the system runs Check Next Number (EN520) before Create SFC (DM520).

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
Check Resource Setup (CHECK_RESOURCE_SETUP)	Prevents the Start of an SFC number in the POD under conditions controlled by the activity rule settings.	Used at the resource, operation, or routing step level with the PRE_START, PRE_BATCH_START, and PRE_VALIDATE_START hook points.
Check SFC Data (CHECK_SFC_DATA)	Prevents start or complete of SFC number, if required SFC data has not been collected.	<p>Used at resource, operation, or routing step level with the following hook points: PRE_START, PRE_BATCH_START, POST_START, POST_BATCH_START</p> <p>At these hook points, the activity checks all previous operations on the current routing to ensure that all required SFC data has been collected and passed the validations. If SFC data has been collected, SFC number is started.</p> <p>PRE_COMPLETE, PRE_BATCH_COMPLETE, POST_COMPLETE, POST_BATCH_COMPLETE</p> <p>At these hook points, the activity checks the current operation and all previous operations on the current routing to ensure that all required SFC data has been collected and passed all validations. If SFC data has been collected, SFC number is completed and placed in queue at the next operation. If the operation is the last operation on the production routing, the SFC number status is changed to <i>Done</i>.</p>
Check SFC LCC (LT300)	Checks if the SFC number exists and that it has a valid labor charge code (LCC) assigned (see Labor Charge Code).	Used with PRE_START hook point.
Check SFC(s) for open NCs (NC520)	Stops execution of the activity in which the hook point resides when the SFC has one or more open NCs.	Commonly used with PRE_COMPLETE, POST_COMPLETE, POST_CONTAINER_SAVE, POST_CONTAINER_CLOSE.

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
Create SFC (DM520)	Creates a new SFC number when: Operators enter a non-existing SFC number in the POD. A machine sends a Start message with a non-existing SFC number to the system. Uses the material or shop order defined for the operator's resource in Resource setup.	Use only with PE_START or PRE_VALIDATE_START at Operation or Resource objects (not Routing Steps). Often used with automatic equipment, such as barcode scanners that work with pick and place machines. For more information, see the SAP ME online help for Resource Setup. For operators, use with Check Next Number (EN520) or Check Mask Validation (EN521). Make sure the system runs the check activity before Create SFC (DM520).
Create Shop Order Batch Number (CREATE_BATCH)	Automatically generates and assigns a batch number to the shop order upon completion of the first SFC. Does not generate a batch number, if the shop order already has a batch number assigned. <hr/> Note: This functionality is used for Inventory Management when there is an SAP Integration with SAP Manufacturing Execution.	Commonly used only with PRE_COMPLETE for operation, resource, and routing step.
Check Time (CHECK_TIME)	Checks the difference, between the current date and time and the date and time when the SFC was queued at the operation, against the user argument value (specified in minutes).	Used at PRE-START hook point to determine if the SFC was in queue at the operation longer than the time allowed. This could be where the SFC has to be started at the operation within a certain length of time, such as starting the cure operation after a paint operation, for example.
Check Time-Sensitive Components (CHECK_TSM_COMPONENTS)	Validates all time-sensitive components within an SFC number, and nested SFC numbers, to assure they have not expired before they are assembled.	

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
Data Collection Limits Check (DC521)	Checks all operations on the routing up to the current operation to verify if all “current” Data Collections that have been logged against current SFC are within the defined Min/Max thresholds. Checks all operations on the routing up to the current operation. Any Data Collection re-collected will be treated as being updated with the newer value and only the most recent DC will be checked.	Commonly used with data collection.
Document Print (SY520)	Prints documents you have set up both in the system and a third-party printing program (most often Abode and Loftware). See “Setting Up Printing” in the SAP ME How-To-Guide - Setting Up Production Lines and the SAP ME How-To-Guide - Printing for more information.	Commonly used with PRE_COMPLETE, POST_COMPLETE, and PRE_ and POST_START.
Elapsed Time in Process (ELAPSED_TIME_CHECK)	Ensures that each SFC number has been Active at an operation for the required amount of time. If the elapsed time is less than the required process time, the system does not allow an operator to complete the SFC. If an SFC number is restarted at an operation as a result of Sign Off, SFC Step Status Change, or following logging a nonconformance, the system sets the operation's Start date and time for the SFC number to the current date and time.	
Load CNC Program (LOAD_CNC_HOOK)	Validates whether there is a CNC program assigned to the material/routing/step id/resource relationship. Depending on the results, the CNC program can be downloaded from the CNC/DNC Server specifies in System Rule Maintenance to the machine via the CNC/DNC system.	Can be at any START hook point.
Log Tool Check (LOG_TOOL_HOOK)	Validates that tools required for an SFC number at current point are logged or set up on the resource.	Used with the Start or Complete hook points at resource, operation, or routing step level.

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
Open Data Collections Check (DC520)	Checks the current operation/resource to verify if all the required data collection fields have been collected.	Commonly used with data collection.
Parametric SFC Check (TP110)	Determines whether an SFC number passed the PASS / FAIL test at the last place it was tested.	Used at an operation prestart or precomplete hook point to verify that the SFC number passed the last test before proceeding. User argument is <i>diagnostic parameter plus space plus operation plus "/" plus version</i> (e.g. "PRODUCTION TFU/A")
Post Split/Serialize - Copy CT Data (CT999)	Copies component traceability records from the original SFC number to the new SFC numbers that result from serialization, split, or relabel.	Used with the POST_SPLIT and POST_SERIALIZE hook points.
Post Split/Serialize - Copy DC Data (DC999)	<p>Copies or moves the DC data from the original SFC to the new SFCs that result from a serialization, split, or relabel.</p> <p>If an operator splits, serializes, or relabels the entire quantity of an SFC to a new SFC, the system moves data collection records from the original SFC to the new SFC.</p> <p>If an SFC split, or serialization results in multiple SFCs, the system copies data collection records from the original SFC to the new SFCs.</p> <hr/> <p>Note: Only if the Copy DC Data system rule is set to true and this activity is hooked at the site level, the DC data is copied or moved.</p> <hr/>	Commonly used with POST_SPLIT and POST_SERIALIZE.
Post Split/Serialize - Copy NC Data (NC999)	<p>Copies the nonconformance (NC) data from the original SFC number to the new SFC numbers that result from a serialization, split, or relabel.</p> <p>Note: NC data is copied only if the Copy NC Data system rule is set to true and this activity is hooked at the site level.</p>	Used with POST_SPLIT and POST_SERIALIZE hook points.
Post Split/Serialize - Copy Tool Data (TOOL999)	Copies or moves the data about tools logged on the original SFC number to the new SFC numbers that result from serialization, split, or relabel activities.	Used with the POST_SPLIT and POST_SERIALIZE hook points.

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
Post Split/Serialize - Copy WI View Data (WI999)	Copies or moves work instruction view log records from the original SFC number to the new SFC numbers that result from serialization, split, or relabel.	Used with the POST_SPLIT and POST_SERIALIZE hook points.
Reset Tool Status (RESET_TOOL_HOOK)	Automatically changes the resource status from Productive to Enabled after the tool was used to process and complete SFC number.	Used with PRE_COMPLETE or POST_COMPLETE hook points at the operation or resource level.
SFC Quantity Multiplication (PR597)	Automatically multiplies the SFC's quantity by a multiplier defined in the SFC's material definition. An SFC can be multiplied only once. If an SFC passes through two operations set to perform a multiplication, the system ignores the second multiplication.	Can be at any START or COMPLETE hook point. Most often used at POST_COMPLETE. If set at a hook point other than POST_COMPLETE, also set at PRE_SIGNOFF or POST_SIGNOFF so multiplication is reversed if the SFC is signed off before completion.
Slot Quantity Decrement (SLOT_QTY_DECREMENT)	Decrements the SLOT_QTY value based on the SFC BOM quantity for the time-based components. You can use the minimum quantity message and the zero quantity message to alert about this situation. This activity can be configured at the operation, resource, or routing step. We recommend that you use it at the resource level.	Used with the PRE_START and PRE_COMPLETE hook points.
Stop Time-Sensitive Clock (STOP_TIME_SENS_CLOCK)	Halts the shelf and floor life clocks for TSM components that have been consumed into an SFC number and are no longer time sensitive.	
Time-Based Tool to Discrete (TB_TOOL_TO_DISCRETE)	Logs tools set up on a time-based resource against a specific SFC number. When executed, all tools set up on the resource and required for an SFC number at the current time will be logged in the same tables as the tools logged manually	Normally attached at the PRE_COMPLETE hook point. It also can be attached at the PRE_START, POST_START or POST_COMPLETE hook points. For other hook points, this activity exits silently without executing.

SAP ME How-To-Guide for Setting up Activity Hooks

Hookable Activity	Description	Hook Points and Uses
Unload CNC Program (UNLOAD_CNC_HOOK)	Validates where there is a CNC program assigned to the material/routing/step id/resource relationship and loaded to the machine. Depending on the results, the CNC program is unloaded (removed) in the machine via the CNC/DNC system.	Can be at any COMPLETE hook point.
WIP Change (SU570)	Automatically performs the Change Production function, but requires custom coding. Use the public API (ChangeProductionServiceInterface) instead of this hook activity.	Used at any PRE_START or POST_COMPLETE hook point.

3.4 ME Objects Available at a Hook Point

The ME objects available for use by a hook point activity can be obtained through the public APIs provided by SAP ME. The API to use, and objects available, can be determined as follows.

If you are internal to SAP, you can use the Java Docs on the ME DEV home page at:

<https://wiki.wdf.sap.corp/wiki/display/MEDEVARCH/Home>. SAP ME Partners and ME customers can access the Java Docs in the ME documentation delivered by SAP. A link to Java Docs will typically look similar to: <http://servername:50000/job/me-main-javadoc-papi/ws/papi/target/apidocs/index.html>

To use the Java Docs to find the ME objects available at a hook point:

1. Find the hook point in the table below
2. Select the associated package (com.sap.me.xxx), from the table, in Java Docs
3. Select the associated class, from the table, in Java Docs
4. The ME objects available via the DTO can be found in the schema in the right hand side of the Java Docs window.


Hook Point	Package	Class (Inputs)	Class (Inputs)
ADD_COMPONENT	demand	AssembleComponentHookDTO	
CALC_DIMENSIONS	container	Packing HookDTO	
PACKING_VALIDATION	container	Packing HookDTO	
PARSE_COMPONENT	production	ParseComponentHookDTO	ParseComponentHookResultDTO
PARSE_SLOT_COMPONENT	production	ParseComponentHookDTO	ParseSlotComponentHookResultDTO
POST_BATCH_COMPLETE	production	PostCompleteHookDTO	
POST_BATCH_START	production	StartHookDTO	
POST_COMPLETE	production	PostCompleteHookDTO	
POST_CONTAINER_CLOSE	container	PackingHookDTO	
POST_CONTAINER_SAVE	container	PackingHookDTO	
POST_DISP	nonconformance	PostDispositionHookDTO	

SAP ME How-To-Guide for Setting up Activity Hooks

Hook Point	Package	Class (Inputs)	Class (Inputs)
POST_INV_RECEIPT	inventory	InventoryHookDTO	
POST_MERGE	production	MergeHookDTO	
POST_ORDER_CLOSE	demand	ShopOrderCloseHookDTO	
POST_ORDER_RELEASE	demand	ShopOrderReleaseHookDTO	
	demand	ShopOrderReleaseHookDTO. AdditionalInfoList	
POST_PL_ADD	demand	ProcessLotHookDTO	
POST_PL_REMOVE	demand	ProcessLotHookDTO	
POST_PROD_CHANGE	production	ChangeItemRouterHookDTO	
	production	ChangeItemRouterHookDTO. AdditionalInformation	
POST_RMA_SFC_RECEIPT	demand	Add SFCHookDTO	
	demand	Add SFCHookDTO.AdditionalInfo List	
POST_SERIALIZE	production	SerializeHookDTO	SerializeHookDTO.NewSFCList
POST_SIGNOFF	production	PostSignoffHookDTO	
POST_SPLIT	production	SplitHookDTO	SplitHookDTO.NewSFCList
POST_START	production	StartHookDTO	
PRE_BATCH_COMPLETE	production	CompleteHookDTO	
PRE_BATCH_START	production	StartHookDTO	
PRE_COMPLETE	production	CompleteHookDTO	
PRE_DISP	nonconformance	PreDispositionHookDTO	
PRE_MERGE	production	MergeHookDTO	
PRE_PACKING_SFC	container	Packing HookDTO	
PRE_RMA_SFC_RECEIPT	demand	Add SFCHookDTO	
	demand	Add SFCHookDTO.AdditionalInfo List	
PRE_SERIALIZE	production	SerializeHookDTO	
PRE_SIGNOFF	production	SignoffHookDTO	
PRE_SPLIT	production	SplitHookDTO	
PRE_START	production	StartHookDTO	
PRE_VALIDATE_START	production	StartHookDTO	
REOPEN_CONTAINER	container	Packing HookDTO	
REMOVE_COMPONENT	demand	RemoveComponentHookDTO	

SAP ME How-To-Guide for Setting up Activity Hooks

The following shows the Java Docs information for the POST_CONTAINER_CLOSE hook point (package = container, class = PackingHookDTO).



The screenshot displays the SAP Java Docs for the class `PackingHookDTO`. The left sidebar shows a tree of packages and classes, with `com.sap.me.container.PackingHookDTO` selected. The main content area shows the class overview, including its inheritance hierarchy (extending `java.lang.Object` and implementing `Serializable`), and its schema definition. The schema definition is as follows:

```
<complexType name="PackingHookDTO">
  <complexContent>
    <restriction base="{http://www.w3.org/2001/XMLSchema}anyType">
      <sequence>
        <element name="contextList" type="{http://www.sap.com/me/container}ContextList"/>
        <element name="hookPoint" type="{http://www.sap.com/me/common}HookPoint"/>
        <element name="site" type="{http://www.sap.com/me/common}Site"/>
        <element name="printQuantity" type="{http://www.sap.com/me/common}Qty" minOccurs="0"/>
        <element name="operationBO" type="{http://www.sap.com/me/common}BoHandleReference" minOccurs="0"/>
        <element name="sfcBO" type="{http://www.sap.com/me/common}BoHandleReference" minOccurs="0"/>
        <element name="workStationBO" type="{http://www.sap.com/me/common}Handle" minOccurs="0"/>
      </sequence>
    </restriction>
  </complexContent>
</complexType>
```

4 Integration

Not Applicable

5 Setting up Products

5.1 Setting Up Activity Hooks

If desired, change the option settings for the hookable activity in the Rules tab in Activity Maintenance.

Note: For the Document Print (SY520) activity, add the name of one or more documents in the **Setting** column on the Rules tab. See “Setting Up Printing” in the SAP ME How-To-Guide - Setting Up Production Lines.

Do one of the following:

SAP ME How-To-Guide for Setting up Activity Hooks

- For a site-level hook point, retrieve the record you want in Site Maintenance and create the activity hook on the Activity Hooks tab.
- For an object-level hook point, retrieve the record you want in Operation, Resource, Routing, or NC Code Maintenance. In Operation, Resource, and NC Code Maintenance, create the activity hook on the Activity Hooks tab. In Routing Maintenance, double-click the operation routing step and create the activity hook in the Operation Properties window.
- For a [PARSE_COMPONENT](#) or [PARSE_SLOT_COMPONENT](#) hook point, see corresponding topic in this section.

5.1.1 Setting Up Activity Hooks at PARSE_COMPONENT

You create a PARSE_COMPONENT activity hook in Material Maintenance for a particular component or on the Activity Hooks tab in Site Maintenance for all components used at all assembly points in the site.

This activity hook associates:

- Your custom hookable activity.
- The PARSE_COMPONENT hook point.
- The component record defined in Material Maintenance or the site defined in Site Maintenance.

To set up an activity hook at the PARSE_COMPONENT hook point:

1. Create the custom hookable activity.
2. Add the custom activity to Activity Maintenance.
3. To create the activity hook for a particular component, in Material Maintenance:
 - a. Retrieve or create the material record for the component.
 - b. In the **Assembly Pt Parsing Activity** field, enter the custom activity's activity ID.
 - c. In the **User Argument** field, enter the values your custom activity needs from Assembly Point.
 - d. On the **Build** tab, select the component's assembly data type in the **Data to Collect on Assembly** field.
4. To create the activity hook for all components used at all assembly points in the site, in Site Maintenance:
 - a. Retrieve the site.
 - b. On the Activity Hooks tab, select **PARSE_COMPONENT** in the Hook Point column.
 - c. In the Activity column, enter the custom activity's activity ID.
 - d. In the **User Argument** column, enter the values your custom activity needs from Assembly Point (CT500).

5.1.2 Setting Up Activity Hooks at PARSE_SLOT_COMPONENT

You create a PARSE_SLOT_COMPONENT activity hook in on the Activity Hooks tab in Site Maintenance for all components used during Resource Slot Config Setup and/or Load or Replenish in the site. This activity hook associates:

- Your custom hookable activity.
- The PARSE_SLOT_COMPONENT hook point.
- The site defined in Site Maintenance.

To set up an activity hook at the PARSE_SLOT_COMPONENT hook point:

1. Create a custom hookable activity.
2. Add the custom activity to Activity Maintenance.
3. In Site Maintenance:
 - a. Retrieve the site.
 - b. On the Activity Hooks tab, select **PARSE_SLOT_COMPONENT** in the Hook Point column.
 - c. In the Activity column, enter the custom activity's activity ID.
 - d. In the **User Argument** column, enter the values your custom activity needs from Resource Slot Config Setup (EN530) and/or Load or Replenish (EN531).

6 Usage Scenario Examples

Some frequently used hookable activities are:

- Create SFC
- Document Print
- Check Configuration
- SFC Quantity Multiplication
- Check SFC for Open NC

Below are some common scenarios for these hookable activities.

6.1 Create SFC

Create SFC is commonly used with automatic equipment, such as barcode scanners that work with automated machines. This allows the system to create the SFC the first time it is seen by the system. This avoids the need to release demand before materials can be produced on the shop floor.

The only valid hook point for Create SFC is PRE_VALIDATE_START. Create the activity hook in Resource Maintenance.

6.2 Document Print

Document Print is commonly used to create barcode labels. It is typically used with the POST_COMPLETE hook point at the first step on the routing. For packing lists, Document Print is used with the last step on the routing. The activity hook is often created in Resource Maintenance or

SAP ME How-To-Guide for Setting up Activity Hooks

in Operation Maintenance, if several operators perform printing. See “Setting Up Printing” in the SAP ME How-To-Guide - Setting Up Production Lines.

If the operator experiences printer problems, he or she can use the Document Reprint production activity.

Note: Make sure you have given this operator permission to use the Document Reprint production activity.

6.2.1 Document Print Example

In the Operation Maintenance activity, you might set up a POST_COMPLETE hook for operation INSERT associated with activity SY520-LABEL, to print labels for boards where they enter the assembly line. You might also set up a POST_START hook for operation PACK associated with activity SY520-PACK, to print a packing list for finished products before they are packed.

6.3 Check Configuration

Check Configuration is used typically at assembly points with the PRE_COMPLETE hook point, or with the PRE_START hook point on the next routing step. In the latter case, create the activity hook in the operation routing step in Routing Maintenance.

Typically, Check Configuration is used with the last operation on a routing to ensure the shipped product is complete. It is also used at other operations to ensure complete product is sent to the next step, especially when it's another part of the plant.

6.4 SFC Quantity Multiplication

SFC Quantity Multiplication is used typically at operations where operators or machines cut SFCs into pieces but the SFCs continue to be tracked under the same SFC number. Such operations often are called DICE operations.

Note: In many cases, a later operation after the SFC Quantity Multiplication operation is a step where operators run Serialize to serialize the multiplied SFC into individual unit SFCs.

To configure this activity, do the following for each operation where you want to run the activity:

In Operation Maintenance, define the operation where you want the SFC quantity to be multiplied so:

- SFC Quantity Multiplication runs at one of the Start or Complete activity hooks of the operation. POST_COMPLETE is recommended so that SFC Multiplication runs only if the SFC is completed successfully.
- If you run SFC Quantity Multiplication at a hook point other than POST_COMPLETE, also set it to run at one of the Signoff hooks of the operation to set the SFC quantity, since it did not complete the operation.

In Material Maintenance, for each material you want multiplied, enter in the **Qty Multiplier** field the number you want the material's quantity multiplied by.

Note: The entry in the **Qty Restriction** field in Material Maintenance may limit how operators can multiply quantity. For example, if the field is set to **Only 1.0**, the operator cannot multiply the SFC by any number other than 1.

7 Links to Additional Information

[SAP ME online Help](#)

8 Other Reference Material

SAP ME How-To-Guide – Setting up Activity Rules

SAP ME How-To-Guide – Printing

SAP ME How-To-Guide – Setting up Production Lines

9 Overview of Changes

Not applicable